

INDEX MAPS.

T. 12 N, R. 4 E. 2nd Mer.

	68		68		67		67		67		66	
70	6	90	5	85	4	81	3	77	2	74	1	66
	90		89		84		81		77		74	
70	7	89	8	84	9	80	10	77	11	73	12	66
	89		88		84		80		76		73	
69	18	88	17	83	16	80	15	76	14	72	13	66
	88		87		83		79		76		72	
69	19	87	20	83	21	79	22	75	23	72	24	65
	87		86		82		79		75		71	
69	30	86	29	82	28	78	27	75	26	71	25	65
	86		85		82		78		74		71	
68	31	85	32	81	33	78	34	74	35	70	36	65
	64		64		63		63		63		63	

T. 13 N, R. 4 E. 2nd Mer.

	96-99		97-99		97-98		97-98		97-98		97-98	
101	6	120	5	115	4	111	3	108	2	104	1	96
	120		119		114		111		108		104	
101	7	119	8	114	9	111	10	107	11	104	12	96
	119		118		114		110		107		103	
100	18	118	17	114	16	110	15	107	14	103	13	95
	118		117		113		110		106		103	
100	19	117	20	113	21	109	22	106	23	102	24	95
	117		117		113		109		106		102	
100	30	116	29	112	28	109	27	105	26	102	25	95
	116		115		112		108		105		102	
99	31	115	32	112	33	108	34	105	35	101	36	94
	94		94		93		93		93		93	

The figures on the lines refer to the page.

Township N. 12 North, Range N. 4 E. 2. Mer. Indiana

South Boundary. var. $5^{\circ} 15' E.$

Met On S. boundary of Sec. 36, T12 N. R4 E.

26.90 a Creek 75 lks. wide Course S. E.

36.15 a Beech 18 in. dia.

40.00 Let the q. Sec. post, from which

a — 7 in. dia. beam N79 E 26 lks. dist. of

a Do 12 " " " N75 W 9 " "

67.70 a Branch 6 lks. wide Course S. E.

80.00 Let a post Cor. to Sec. 35 & 36, from which

a Beech 9 in. dia. beam N8 W 27 lks. dist. of

a Do 18 " " " N36 E 14 " "

Land level, timber Beech, Ash &c. undgth Spruce.

Met On S. boundary of Sec. 35, T12 N. R4 E.

13.00 a Beech 16 in. dia.

40.00 Let the q. Sec. post, from which

an Ash 10 in. dia. beam N12 E 3 lks. dist. of

a Do 15 " " " N30 W 20 " "

73.86 a Beech 15 " "

80.00 Let a post Cor. to Sec. 34 & 35, from which

a Bur Oak 15 in. dia. beam N82 E 17 lks. dist. of

a Hackberry 9 " " " S52 W 25 " "

Land level timber, same as on the last mile

Met On S. boundary of Sec. 34, T12 N. R4 E

40.00 Let the q. Sec. post, from which

a Beech 21 in. dia. beam N55 E 14 lks. dist. of

a Do 20 " " " N73 W 36 " "

69.42 a Beech 20 " "

80.00 Let a post Cor. to Sec. 33 & 34, from which

a Hickory 6 in. dia. beam N70 E 29 lks. dist. of

a Beech 18 " " " N39 W 10 " "

Land level timber Beech, Ash, Sugar &c.
undgth. Spruce Soil good

Met On S. boundary of Sec. 33, T12 N. R4 E.

1/2 N. R. 4 E. 2^d. Mer. Indiana

- 38.93 an ash 18 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Poplar 6 in. dia. bran N 69 E 5 lks. dist. of
 a Do 18 " " " N 65 W 25 " "
 80.00 Let a post Cor. to Sec. 32 & 33, from which
 an Ash 14 in. dia. bran N 46 E 10 lks. dist. of
 a Beech 21 " " " N 77 W 31 " "
 Land rolling, timber Beech, Ash, Sugar,
 Oak &c. undergth. Spruce, Dogwood &c. Soil good.

- West On the South boundary of Sec. 32,
 0.75 an Ash 24 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Beech 18 in. dia. bran S 79 W 18 lks. dist. of
 an Iron? 6 " " " N 20 E 28 " "
 80.00 Let a post Cor. to Sec. 31 & 32, from which
 a Poplar 21 in. dia. bran S 84 E 25 lks. dist. of
 a Beech 10 " " " N 85 E 25 " "
 Gently rolling, timber Beech, Sugar, Ash,
 Poplar &c. undergth. Spruce. Soil good

- West On S. boundary of Sec. 31, 1/2 N. R. 4 E.
 20.25 a Branch 6 lks. (wide Course N. W.
 27.25 an Ash 21 in. dia.
 40.00 Let the gr. Sec. post, from which
 an Ash 15 in. dia. bran N 64 W 30 lks. dist. of
 a Beech 9 " " " S 46 E 9 " "
 70.00 Intersected the N. & S. line 50 lks. S. of temp.
 post, let a post Cor. to Township, N. 11 of
 12 N. Range, N. 3 & 4 E, from which
 a Blue Ash 27 in. dia. bran N 67 W 8 lks. dist. of
 an Ash 12 " " " S 27 E 21 " "
 Land timber &c. Same as on the last mile

East Boundary var. 6.00' E.
 Let a post Cor. to Township, N. 11 of 12
 N. Range, N. 4 & 5 East, from which

T12 N. R4 E. 2nd Mer. Indiana

a Spanish Oak 40 in. dia. beam N48W 6 lks. dist. &
 a Buckeye 9 " " " S67E 29 " "
 North On E. boundary of Sec. 36, T12 N. R4 E.
 40.00 Let the q. Sec. post, from which
 a Beech 8 in. dia. beam N53E 3 lks. dist. &
 a No 20 " " " N89W 19 " "
 49.88 a Beech 22 " "
 80.00 Let a post Cor. to Sec. 25 of 36, from which
 a Beech 20 in. dia. beam S6E 26 lks. dist. &
 a No 20 " " " N14E 29 " "
 Over good farming land, timber Beech,
 Sugar, Ash &c. underg^g. Spice &c

North On E. boundary of Sec. 25, T12 N. R4 E.
 13.15 an Ash 18 in. dia.
 40.00 Let the q. Sec. post, from which
 an Ash 7 in. dia. beam S26W 6 lks. dist. &
 an Elm 6 " " " N69W 4 " "
 63.65 a Maple 12 " "
 80.00 Let a post Cor. to Sec. 24 of 25, from which
 an Ash 12 in. dia. beam S74W 7 lks. dist. &
 an Oak 16 " " " S75E 22 " "
 Over wet land, timber Elm, Beech, Ash &c.

North On E. boundary of Sec. 24, T12 N. R4 E.
 17.36 a W. Oak 40 in. dia.
 40.00 Let the q. Sec. post, from which
 a Beech 13 in. dia. beam S41E 19 lks. dist. &
 a No 14 " " " N75W 29 " "
 68.45 a Hickory 24 " "
 80.00 Let a post Cor. to Sec. 13 of 24, from which
 a Beech 13 in. dia. beam S34E 7 lks. dist. &
 a No 12 " " " N58E 22 " "
 Over level land, timber Beech, Hickory
 Oak &c. underg^g. Spice &c.

T12N R4E, 2^d Mer. Indiana

North On E. boundary of Sec. 13, T12N R4E.
28.72 a Beech 14 in. dia.

40.00 Let the q. Sec. post, from which
a Beech 14 in. dia. bear S10W 12 lbs. dist. 5
a — 13 " " " N70E 22 " "

48.42 a Beech 16 " "

80.00 Let a post Cor. to Sec. 12 of 13, from which
a Beech 10 in. dia. bear S2E 13 lbs. dist. 5
an Iron 6 " " " N29W 20 " "
Over poor farming land, timber Beech
Ash, Sugar &c.

North On E. boundary of Sec. 12, T12N R4E.
9.03 a Beech 14 in. dia.

30.50 a Creek 30 lbs. wide Course N.W.

40.00 Let the q. Sec. post, from which
a Sugar 14 in. dia. bear S48E 34 lbs. dist. 5
a Poplar 30 " " " S58W 25 " "

80.00 Let a post Cor. to Sec. 11 of 12, from which
a Beech 10 in. dia. bear S52E 9 lbs. dist. 5
an Elm 4 " " " N18W 9 " "
Through fallen timber good soil

North On E. boundary of Sec. 1, T12N R4E.

40.00 Let the q. Sec. post, from which
a Beech 20 in. dia. bear N13W 25 lbs. dist. 5
an Ash 12 " " " S4E 14 " "

45.03 an Ash 22 " " in the line

77.94 Let a post Cor. to Township, N. 12 of 13 N.
Ranger N. 4 of 5 East, from which
a Beech 10 in. dia. bear S23W 21 lbs. dist. 5
an Ash 24 " " " N19E 33 " "
Over level land timber Beech &c.

North Boundary
West On S. boundary of Sec. 36, T13N R4E.

T12 N R4 E. 2nd Mer. Indiana

- 40.00 Let the gr. Sec. post, from which
a Beech 14 mi. dist. bear S 51 E 47 lks. dist. of
an Elm 13 " " " N 45 W 46 " "
- 46.25 a Brook 10 lks. wide Course N. E.
- 80.00 Let a post Cor. to Sec. 35 & 36, T13 N. R4 E. from which
an Ash 22 mi. dist. bear S 79 E 37 lks. dist. of
a Beech 19 " " " N 79 W 47 " "
Over good farming land, timber Beech,
Sugar, Ash &c. undug^d. Spruce &c.

Nest On S. boundary of Sec. 35, T13 N. R4 E.

- 40.00 Let the gr. Sec. post, from which
a Beech 10 mi. dist. bear N 62 W 4 lks. dist. of
a Do 14 " " " S 80 E 50 " "
- 75.00 a Brook 10 lks. wide Course S.
- 80.00 Let a post Cor. to Sec. 34 & 35, T13 N. R4 E. from which
a Beech 18 mi. dist. bear N 55 W 28 lks. dist. of
a Do 18 " " " S 75 E 24 " "
Over good farming land, timber Beech, Ash &c.
undug^d. Spruce &c.

Nest On S. boundary of Sec. 34, T13 N. R4 E.

- 40.00 Let the gr. Sec. post, from which
a Beech 7 mi. dist. bear N 20 E 3 lks. dist. of
a Do 10 " " " S 39 W 4 " "
- 69.25 a Brook 3 lks. wide Course South
- 80.00 Let a post Cor. to Sec. 33 & 34, T13 N. R4 E. from which
a Beech 8 mi. dist. bear S 75 W 26 lks. dist. of
a Do 8 " " " N 20 E 17 " "
Over level land, timber Beech, Oak &c.

Nest On S. boundary of Sec. 33, T13 N. R4 E.

- 40.00 Let the gr. Sec. post, from which
a Beech 10 mi. dist. bear S 43 E 28 lks. dist. of
a Do 12 " " " N 38 W 12 " "
- 58.00 a Creek 50 lks. wide Course South

S12 N R4 E 2^d Mer. Indiana

80.00 Set a post cor. to Sec. 32, 33, T13 N. R4 E, from which
a Beech 15 in. dia. bray N76 E 16 lks. dist. of
a Do 20 " " " N85 W 32 " "
Over level land, timber Beech, Oak, Ash &c.
undergrowth Spruce &c.

West On S. boundary of Sec. 32, T13 N. R4 E

27.10 a Creek 50 lks. wide Course South

40.00 Set the q. Sec. post, from which
a Beech 13 in. dia. bray S66 E 17 lks. dist. of
a Do 24 " " " N58 W 36 " "

77.20 a Creek 50 lks. wide Course S.E.

80.00 Set a post Cor. to Sec. 31 & 32, T13 N. R4 E, from which
a Beech 20 in. dia. bray S77 E 38 lks. dist. of
an Ironwood 8 " " " N55 W 24 " "
Sand timber &c. same as on the last mile

West On S. boundary of Sec. 31, T13 N. R4 E.

40.00 Set the q. Sec. post from which
a Beech 14 in. dia. bray N73 E 22 lks. dist. of
a Do 12 " " " N44 W 53 " "

62.50 a Creek 20 lks. wide Course N.E.

79.00 Intersected the N. & S. line at the Cor. of
Townships, N. 12 & 13 N. Range, N. 3 & 4 E.
Over good farming land, timber Beech
Ash &c. undergth. Spruce &c. Aug. 4th 1879

West Boundary. var. 5.55' E.

North On E. boundary of Sec. 36, T12 N. R3 E.

14.10 a Beech 15 in. dia.

32.00 a Branch 7 lks. wide Course S.W.

40.00 Set the q. Sec. post, from which
an Elm 24 in. dia. bray S58 W 22 lks. dist. of
a Do 20 " " " N9 E 22 " "

64.50 a Beech 15 " "

80.00 Set a post cor. to Sec. 25 & 36, T12 N. R3 E, from which

T12N R4E.2nd Mer. Indiana

a Beech 7 in. dia. bray S47W54k. dist. of
 a Do 8 " " " S73E19 " "
 Level land, timber Beech, Ash, Elm &c.
 undergth Spruce &c.

North On E. boundary of Sec. 25, T12N. R3E

17.90 a Beech 12 in. dia. bray

40.00 Let the g. Sec. post, from which
 a Swamp Ash 9 in. dia. bray S56E, 34k. dist. of
 a Beech 30 " " " N74W30 " "

67.90 a Beech 27 " "

80.00 Let a post cor. to Sec. 24 & 25, T12N. R3E, from which
 a Sugar 6 in. dia. bray S11W20k. dist. of
 a Beech 12 " " " N17E25 "
 Land timber &c. Same as on the last mile

North On E. boundary of Sec. 24, T12N. R3E

13.00 an Ash 30 in. dia.

40.00 Let the g. Sec. post, from which
 a Beech 18 in. dia. bray N81W15k. dist. of
 a Dogw^d. 6 " " " N83E15 " "

54.95 a Beech 18 " "

64.60 a Branch 6k. wide Course N.E.

80.00 Let a post cor. to Sec. 13 & 24, T12N. R3E, from which
 a Beech 9 in. dia. bray S34W10k. dist. of
 a Do 9 " " " N56E22 " "
 Gently rolling timber Beech, Ash &c. undgth Spruce.

North On E. boundary of Sec. 13, T12N. R3E.

25.20 a Red Oak 30 in. dia. in the line

32.00 a Branch 4k. wide course N.E.

40.00 Let the g. Sec. post, from which
 a Beech 12 in. dia. bray N22E5k. dist. of
 a Red Oak 27 " " " S6W35 " "

61.00 a Beech 12 " "

80.00 Let a post cor. to Sec. 12 & 13, T12N. R3E, from which

SP. N. R. 4 E. 2. Mer. Indiana

a Beech 18 in. diam. brang S 50 E 26 lks. dist. of
 a Do 9 " " " N 35 W 39 " "
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 12, T. 12 N. R. 3 E.

26.85 a Sugar 18 in. diam. in the line

40.00 Set the q. Sec. post, from which
 a Sugar 6 in. diam. brang N 44 W 5 lks. dist. of
 a Beech 18 " " " S 54 E 35 " "

68.10 an Ash 27 " " in the line

80.00 Set a post Cor. to Sec. 1, T. 12 N. R. 3 E., from which
 a Beech 15 in. diam. brang N 82 W 15 lks. dist. of
 an Ash 9 " " " S 68 E 27 " "

Level land good for farming, timber Beech,
 Ash, Elm, &c. underg^d. Spruce, hemlock &c

North On E. boundary of Sec. 1, T. 12 N. R. 3 E.

4.70 an Ash 20 in. diam. in the line

40.00 Set the q. Sec. post, from which
 a Beech 10 in. diam. brang S 4 E 23 lks. dist. of
 a Do 7 " " " N 7 E 23 " "

73.85 Set a post Cor. to Township N. 12 & 13 North
 Range N. 3 & 4 East, from which
 a Red Oak 27 in. diam. brang N 21 W 6 lks. dist. of
 a Beech 12 " " " S 17 E 35 " "

Level land, timber same as on the last mile

Surveyed in 1819 by John M. Donald, U. S.

Subdivision. var. 6.00' E.

North Between Sec. 35 & 36, T. 12 N. R. 4 E.

3.40 a Walnut 30 in. diam. in the line

4.00 a Stream 8 lks. wide Course S. E.

40.00 Set the q. Sec. post, from which
 a Beech 24 in. diam. brang S 39 E 12 lks. dist. of
 a Do 11 " " " N 3 E 27 " "

63.30 a Beech 11 " " in the line

T12 N. R4 E. 2^d Mer. Indiana

67.00 a dry brack 10 lks. wide Course East
 80.00 Let a post Cor. to Sec. 25, 26, 35 & 36, from which
 a Sugar 14 in. dia. bear N 50 W 17 lks. dist. of
 an Ash 6 " " " N 64 E 22 " "
 Land 2^d rate timber Beech, Ash &c. undg. th Spruce.

East On Rand^m. between Sec. 25 & 36, T12 N. R4 E.
 40.00 Let temp^y. of Sec. post
 42.50 a Stream 50 lks. wide Course S. E.
 56.00 a Do 5 lks. " " South
 80.03 Intersected the E. boundary 94 lks. N. of post.
 Land inclining to be wet, timber Beech,
 W. Oak &c. undgth Spruce, Ironwood, Beech &c.

West Corrected between Sec. 25 & 36, T12 N. R4 E
 40.01 Let of Sec. post at average dist. from which
 a Hackberry 20 in. dia. bear N 7 E 13 lks. dist. of
 a Do 10 " " " N 7 W 24 " "
 80.03 to Sec. Corner.

North Between Sec. 25 & 26, T12 N. R4 E.
 5.40 a Hackberry 11 in. dia.
 40.00 Let the of Sec. post, from which
 an Ash 28 in. dia. bear N 71 W 26 lks. dist. of
 a Beech 4 " " " N 70 E 47 " "
 42.03 an Ash 24 " "
 80.00 Let a post Cor. to Sec. 23, 24, 25 & 26, from which
 an Elm 14 in. dia. bear N 18 W 15 lks. dist. of
 a Beech 12 " " " N 17 E 42 " "
 Land level 2^d rate, timber Beech, Ash, Hickory
 &c. undgth Spruce &c.

East On Rand^m. between Sec. 24 & 25, T12 N. R4 E.
 35.50 a Stream 40 lks. wide Course S. W.
 40.00 Let temp^y. of Sec. post
 80.05 Intersected the E. boundary 2.17 lks. N. of post

T12 N. R4 E. 2nd Mer. Indiana

first 1/2 mile rolling 3rd rate - second 1/2 mile
level, timber, timber & undergth as on last mile

Met Cornet between Sec^s. 24 & 25, T12 N. R4 E.
40.02 1/2 Set the q. Sec. post, from which
a Sugar 14 in. dia. beam N23 W13 1/2 lbs. dist. of
a Beech 11 " " " N26 W13 " "
80.05 to Sec. Corner.

North Between Sec^s. 23 & 24, T12 N. R4 E.
20.00 a Stream 45 lbs. wide Course S. E.
22.40 a Hackberry 11 in. dia. in the line
40.00 Set the q. Sec. post, from which
a Beech 20 in. dia. beam N45 E34 lbs. dist. of
a Do. 12 " " " N27 W36 " "
41.10 a Beech 10 " " in the line
80.00 Set a post Corner to Sec^s. 13, 14, 23 & 24, from which
a Beech 22 in. dia. beam N87 E32 lbs. dist. of
a Do 12 " " " N52 W5 " "
Land level 2nd rate, timber Beech, ash,
Sugar &c. undergth large Spruce

East On Land^{3rd} between Sec^s. 13 & 24, T12 N. R4 E.
40.00 Set the q. Sec. post temporary
79.80 Intersected the N & S. line 365 lbs. N. of post
Land inclining to be wet, timber same as
on last mile, undergth Spruce, Hackberry &c

Met Cornet between Sec^s. 13 & 24, T12 N. R4 E.
39.90 Set q. Sec. post, from which
a Beech 20 in. dia. beam N64 E26 lbs. dist. of
a Do 16 " " " N77 W16 " "
79.80 to Sec. Corner.

North Between Sec^s. 13 & 14, T12 N. R4 E.
21.10 a Beech 12 in. dia. in the line

Comp.

T12 N. R4 E. 2^d. Mer. Indiana

- 27.00 a Stream 15 lks. wide Course S. W.
 40.00 Let the q^r. Sec. post, from which
 a Beech 20 mi. dist. bear S 24 E 16 lks. dist. of
 a Do 11 " " " N 1 E 17 " "
 54.75 a Beech 12 " " in the line
 80.00 Let a post Cor. to Sec. 11, 12, 13, 14, from which
 a Beech 10 mi. dist. bear N 64 E 24 lks. dist. of
 a Do 14 " " " S 72 W 30 " "
 Land level Soil rich good 2^d rate, timber
 & undergth. Same as on the last mile

- East On Rand.^m between Sec. 12 & 13, T12 N. R4 E.
 40.00 Let temp^y. q^r. Sec. post
 57.50 a Stream 12 lks. wide Course S. W.
 79.90 Intersected the N. & S. line 300 lks. N. of post.
 Land level Soil rich, timber Same as on the
 last mile, (much under brush).

- West Connected between Sec. 12 & 13, T12 N. R4 E.
 39.95 Let q^r. Sec. post at average, dist. from which
 a Beech 10 mi. dist. bear S 72 E 38 lks. dist. of
 an Ash 3 " " " S 88 W 9 " "
 79.90 to Sec. Corner. Thursday Aug. 24th 1890 Com^g

- North Between Sec. 11 & 12, T12 N. R4 E.
 9.45 an Ash 14 mi. dist. in the line
 40.00 Let the q^r. Sec. post, from which
 a Beech 30 mi. dist. bear S 73 E 4 lks. dist.
 a Do 10 " " " N 3 E 40 " "
 59.16 a Beech 24 " " in the line
 80.00 Let a post Cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 10 mi. dist. bear N 16 W 37 lks. dist. of
 a Sugar 8 " " " N 17 W 10 " "
 Land level 2^d. rate, timber Beech, Ash
 Sugar &c. undergth. Spruce

S12 N. R4 E. 2^d. Mer. Indiana

East On Rand^m. betwⁿ. Sec. 1 & 2, S12 N. R4 E.

40.00 Set temp^y. of Sec. post

79.80 Intersected the E. boundary 450 lks. N. of post. Land timber same as on last mile

West. Connected between Sec. 1 & 2, S12 N. R4 E.

39.90 Set of Sec. post at average dist. from which
an Ash 10 in. dia. bears N44 E 20 lks. dist. of
a P. Oak 5 " " " N69 W 13 " "

79.80 to Sec. Corner.

North Between Sec. 1 & 2, S12 N. R4 E.

16.70 a Sugar 8 in. dia.

40.00 Set the of Sec. post, from which

a Maple 18 in. dia. bears N23 W 37 lks. dist. of
an Ash 10 " " " N13 E 24 " "

42.25 a W. Oak 48 " "

66.16 Intersected the N. boundary 466 lks. W. of post

Set a post cor. to Sec. 1 & 2, from which
a Beech 30 in. dia. bears S71 E 16 lks. dist. of
a Do 4 " " " N72 W 4 " "

Land timber &c. same as on the last mile

North Between Sec. 34 & 35, S12 N. R4 E.

4.25 a Beech 12 in. dia.

40.00 Set the of Sec. post, from which

a Beech 5 in. dia. bears S4 E 23 lks. dist. of
a Do 10 " " " North 30 " "

80.00 Set a post cor. to Sec. 26, 27, 34 & 35, S12 N. from which

an Elm 36 in. dia. bears S7 E 24 lks. dist. of
a Do 11 " " " N53 E 25 " "

Land level 2^d. rate, timber Beech, Hackberry, Elm,
ve. underg^g. Spruce, Hackberry &c

East On Rand^m. betwⁿ. Sec. 26 & 35, S12 N. R4 E.

40.00 Set temp^y. of Sec. post.

S12N R4E. 2^d Mer. Indiana

79.48 Intersected the N & S. line 1.80 lks. South of post
Land & timber as before

West Corrected between Sec^s. 26 & 35, S12N. R4E.
79.74 Set of Sec. post at average dist. from which
a R. Oak 8 in. dia. bears S52E22. lks. dist. &
an Ash 6 " " " N82W11 " "

79.48 To Section Corner August 25th 1890

North Between Sec^s. 26 & 27, S12N. R4E.

27.12 a Walnut 10 in. dia.

40.00 Let the of Sec. post, from which
a Hackberry 14 in. dia. bears N37E7 lks. dist. &
a W. Oak 12 " " " S68W12 " "

80.00 Let a post cor. to Sec^s. 22, 23, 26 & 27, from which
an Ash 24 in. dia. bears N42E13 lks. dist. &
a Walnut 4 " " " N86W18 " "

Land inclining to wet level timber & underg.
Same as on the last mile.

East On Land^m between Sec^s. 23 & 26, S12N. R4E.

40.00 Let temp. of Sec. post

52.52 a Stream 6 lks. wide Course N.E.

79.87 Intersected the N & S. line 130 lks. S. of post
Land & timber &c. same as on the last mile

West Corrected between Sec^s. 23 & 26, S12N. R4E.

39.93 Let of Sec. post at average dist. from which
a Beech 18 in. dia. bears S27W16 lks. dist. &
a Hickory 5 " " " N36E12 " "

79.87 to Section Corner.

North Between Sec^s. 22 & 23, S12N. R4E.

21.00 a Beech 24 in. dia.

40.00 Let the of Sec. post, from which
a Beech 13 in. dia. bears S33E41 lks. dist.

T12 N R4 E, 2nd Mer. Indiana

a Walnut 15 in. dia. bears N 22 E 9 lks. dist. of
 58.30 a Beech 11 " "
 72.55 a Stream 30 lks. wide Course S. E.
 80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
 a Hackberry 30 in. dia. bears N 20 W 24 lks. dist. of
 a Buckeye 10 " " " S 26 E 15 " "
 Land level 2nd rate timber Beech, Ash, Hickory
 undergth Spice & pawpaw.

East On Rand^m between Sec. 14 & 23, T12 N. R4 E.

40.00 Set temp^y. of Sec. post
 61.50 a Stream 17 lks. wide Course South
 79.61 Intersected the N. & S. line 127 lks. S. of post
 Land timber &c. same as on the last mile

West Corrected betw^{en} Sec. 14 & 23, T12 N. R4 E.

39.80^{1/2} Set the of. Sec. post. at average dist. from which
 an Ash 30 in. dia. bears S 15 E 15 lks. dist. of
 a Beech 20 " " " N 4 W 28 " "
 79.61 to Sec. Corner

North Between Sec. 14 & 15, T12 N. R4 E.

40.00 Set the of. Sec. post. from which
 a Br. Oak 36 in. dia. bears S 45 W 28 lks. dist. of
 a Hickory 12 " " " N 62 E 29 " "
 68.95 a do 30 " "
 80.00 Set a post Cor. To Sec. 10, 11, 14 & 15, from which
 a Br. Oak 24 in. dia. bears N 62 E 9 lks. dist. of
 an Ash 8 " " " S 14 W 13 " "
 Land level 3rd rate timber Beech Ash Hickory
 W. Oak, undergrowth Spice Hazle &c.

East On Random between Sec. 11 & 14, T12 N. R4 E.

40.00 Set temp^y. of Sec. post.
 79.40 Intersected the N. & S. line 92 lks. South of post
 Land & timber as before

S12 N. R4 E. 2^d Mer. Indiana

West Corrected between Sec. 11 & 14, S12 N. R4 E.
 39. 70 Set g^t. Sec. post at average dist. from which
 a Beech 18 in. dia^r. bears N 14 W 12 lks. dist. &
 an Ash 22 " " " S 75 E 37 " "
 79. 40 to Section Corner

North Between Sec. 10 & 11, S12 N. R4 E.
 29. 95 a W. Oak 36 in. dia^r.
 38. 10 a Dry branch 15 lks. wide Course S. W.
 40. 00 Set the g^t. Sec. post, from which
 an Ash 18 in. dia^r. bears S 3 W 24 lks. dist. &
 a Do. 10 " " " N 78 W 9 " "
 47. 50 a Beech 15 " "
 80. 00 Set a post Cor to 2, 5, 10 & 11, from which
 a Hickory 10 in. dia^r. bears S 70 W 2 lks. dist. &
 a Beech 9 " " " N 13 E 17 " "
 Land bet 2^d rate timber Beech Ash Hickory
 undergrowth Spice &c.

East On Random between Sec. 2 & 11, S12 N. R4 E.
 21. 20 a Dry branch 12 lks. wide Course S. W.
 40. 00 Set temp^y. g^t. Sec. post
 79. 73 Intersected the N. & S. line 70 lks. South of post
 Land and timber as before -

West Corrected between Sec. 2 & 11, S12 N. R4 E.
 39. 86 Set g^t. Sec. post at average dist. from which
 a Beech 12 in. dia^r. bears S 9 W 29 lks. dist. &
 a Do 24 " " " N 19 E 21 " "
 79. 73 to Section Corner Aug. 26. 1820

North Between Sec. 2 & 3, S12 N. R4 E.
 28. 55 a Hickory 10 in. dia^r.
 40. 00 Set the g^t. Sec. post, from which
 a Sugar 10 in. dia^r. bears S 73 W 16 lks. dist. &
 an Ash 18 " " " N 6 E 28 " "

S12 N. R4 E. 2nd. Mer. Indiana

45. 90 a Hickory 24 in. dia.

65. 92 Intersected the N. boundary 6.15 chs. W. of post
Set a post Cor. to Secs. 27 & 3, from which
an Ash 28 in. dia. bears N 7 E 7 chs. dist. &
a Beech 20 " " " S 75 W 27 " "

Land ever 2nd rate timber Beech Ash Hickory &c.
undergrowth Spice Pampaw &c.

North Between Secs. 33 & 34, S12 N. R4 E.

14. 50 a Hickory 12 in. dia.

40. 00 Set the q^r. Sec. post, from which
a Walnut 14 in. dia. bears N 44 E 12 chs. dist.
a Beech 6 " " " S 47 W 12 " "

63. 00 an Ash 12 " "

80. 00 Set a post Corner to Secs. 27, 28, 33 & 34, from which
a Beech 8 in. dia. bears S 54 W 27 chs. dist. &
a Do 15 " " " S 77 E 19 " "

Land level timber Beech Ash Hick. und. Spice.

East On Random between Secs. 27 & 34, S12 N. R4 E.

40. 00 Set temp^y. q^r. Sec post

79. 46 Intersected the N. & S. line 14 chs. South of post
Land and timber as before—

West Corrected between Secs. 27 & 34, S12 N. R4 E.

39. 73 Set q^r. Sec. post at average dist. from which
a Linn 30 in. dia. bears N 87 E 17 chs. dist. &
a Beech 7 " " " S 81 W 16 " "

79. 46 To Section Corner—

North Between Secs. 27 & 28, S12 N. R4 E.

40. 00 Set the q^r. Sec. post, from which
a Beech 30 in. dia. bears S 32 E 30 chs. dist. &
a Do 12 " " " N 15 W 23 " "

57. 74 a Poplar 24 " "

60. 00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which

T2 N R4 E. 2^d Mer. Indiana

an Elm 20 in. dia. bears N 62 E 12 lks. dist. 4
 a Do 18 " " " S 71 W 18 " "
 Land level 2^d rate timber Beech Ash Hickory &c.
 undergrowth Spice Poplar &c.

East On Random between Secs. 22 & 27, T12 N. R4 E.
 40.00 Set temp. g. Sec. post.
 79.72 Intersected the N. & S. line 209 lks. South of post
 Land and timber as on the last mile

West Corrected between Secs. 22 & 27, T12 N. R4 E.
 39.86 Set g. Sec. post at average dist. from which
 a W. Oak 36 in. dia. bears S 22 E 34 lks. dist. 4
 a Hickory 24 " " " N 72 W 9 " "
 79.72 To Section Corner—

North Between Secs. 21 & 22, T12 N. R4 E.
 35.76 a Beech 20 in. dia.
 40.00 Set the g. Sec. post, from which
 a Beech 30 in. dia. bears S 88 E 18 lks. dist. 4
 a Do 11 " " " N 59 E 9 " "
 44.05 a W. Oak 48 " "
 57.60 a Stream 25 lks. wide Course E.
 80.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which
 a Sugar 6 in. dia. bears N 30 E 7 lks. dist. 4
 a Do 11 " " " S 55 E 32 " "
 Land Rolling 2^d rate timber Beech Ash Sugar
 &c. undergrowth Spice Hazle &c.

East On Random between Secs. 15 & 22, T12 N. R4 E.
 22.75 a Stream 5 lks. wide Course S. E.
 40.00 Set temp. g. Sec. post.
 79.50 Intersected the N. & S. line 1.16 lks. South of post
 Land and timber as before. August 23rd 1820—

West Corrected between Secs. 15 & 22, T12 N. R4 E.

T12N - R4E. 2^d. Mer. Indiana

39.75 Set q^r. Sec. post at average dist. from which
a Beech 8 in. dia. bears N 15 W 12 ch. dist. 4
a Do 8 " " " S 35 E 26 " "

79.50 to Section Corner

North Between Secs. 15 & 16 T12N, R4E.
09.00 a Beech 12 in. dia.
40.00 Set the q^r. Sec. post, from which
an Ash 36 in. dia. bears S 2 E 21 ch. dist. 4
a Beech 18 " " " N 56 E 7 " "
53.90 a Do 20 " "
80.00 Set a post Cor. to Secs. 9, 10, 15 & 16, from which
a Sycamore 48 in. dia. bears N 22 E 34 ch. dist. 4.
an Ash 11 " " " S 11 W 22 " "
Land level 2^d. rate timber Beech Ash &c. unde.
as before —

East On Prandon between Secs. 10 & 15, T12N, R4E.
40.00 Set temp^y. q^r. Sec. post.
79.72 Intersected the N & S. line 2.24 ch. South of post
Land and timber as before

West Corrected between Secs. 10 & 15, T12N, R4E.
39.86 Set q^r. Sec. post at average dist. from which
a Beech 6 in. dia. bears S 3 W 16 ch. dist. 4
a Do 5 " " " N 68 W 7 " "
79.72 to Section Corner —

North Between Secs. 9 & 10, T12N, R4E.
03.95 an Ash 20 in. dia. f
40.00 Set the q^r. Sec. post, from which
a W. Oak 12 in. dia. bears S 15 E 30 ch. dist. 4
a Beech 5 " " " N 11 W 11 " "
54.25 a Do 15 " "
80.00 Set a post Cor. to Secs. 3, 4, 9 & 10, from which
a Beech 14 in. dia. bears N 42 E 17 ch. dist. 4

S12 N R4E 2nd Mer. Indiana

a Beech 12 in. dia. bears S 85 W 12 lks dist. 4
Land and timber as before -

East On Random between Sec. 3 & 10 S12 N R4E,
40.00 Set temp. g. Sec. post.
79.30 Intersected the N. & S. line 200 lks. South of post
Land and timber as before -

West Corrected between Sec. 3 & 10, S12 N R4E,
39.65 Set g. Sec. post at average dist. from which
an Ash 10 in. dia. bears S 34 W 34 lks dist. 4
a do 6 " " " N 72 E 17 " "
79.30 To Section Corner

North Between Sec. 3 & 4, S12 N R4E,
27.75 a Beech 15 in. dia.
32.50 a Branch 8 lks wide Course S. W.
40.00 Set the g. Sec. post, from which
a Beech 15 in. dia. bears S 6 W 30 lks dist. 4
a W. Oak 24 " " " N 15 E 16 " "
47.60 a Beech 15 " "
69.10 Intersected the N. boundary 6.26 lks West of post
Set a post Cor. To Sec. 3 & 4, from which
a W. Oak 18 in. dia. bears S 36 E 12 lks dist. 4
a Beech 12 " " " N 29 W 30 " "
Land and timber as before -

North Between Sec. 32 & 33, S12 N R4E,
40.00 Set the g. Sec. post, from which
a Beech 12 in. dia. bears S 50 W 35 lks dist. 4
a do 20 " " " N 6 W 56 " "
44.20 a Beech 10 " "
50.00 Set a post Cor. to Sec. 23, 29, 32 & 33, from which
a Beech 12 in. dia. bears S 23 W 26 lks dist. 4
a do 15 " " " N 11 E 29 " "
Land and timber as on the last mile

S 12 N. R 4 E. T^h. Mer. Indiana

East on Random between Sec^s. 28, 33, S 12 N. R 4 E.
 40.00 Set temp^y. q^r. Sec. post.
 43.00 Entered Swamp on Prairie
 60.00 timber Land
 79.63 Intersected the N. & S. line 26 lks. N. of post -
 first $\frac{1}{2}$ mile rich level 2^d. rate Land 2 $\frac{1}{2}$
 mile wet Prairie Soil rich good 2^d. rate timber
 Beech Sugar Elm Small Ash &c. undergrowth
 Spice Willow &c.

West Corrected between Sec^s. 28 & 33, S 12 N. R 4 E.
 39.31 Set q^r. Sec. post at average dist. from which
 a Beech 6 in. diam. bears S 64 E 35 lks. dist. &
 a Dogwood 6 " " " N 45 W 5 " "
 79.63 to Section Corner August 29th. 1820

North Between Sec^s. 28 & 29, S 12 N. R 4 E.
 32.60 a W. Oak 10 in. diam.
 40.00 Set the q^r. Sec. post, from which
 an Elm 10 in. diam. bears S 62 E 24 lks. dist. of
 a Do 8 " " " N 15 W 43 " "
 44.00 enter a prairie
 60.00 enter timber land
 71.40 a Beech 12 in. diam. in the line
 80.00 Set a post Cor. to Sec^s. 20, 21, 28 & 29, from which
 a Beech 15 in. diam. bears N 58 E 7 lks. dist. of
 a Sugar 10 " " " S 73 W 13 " "
 Land timber &c. same as on the last mile

East On Rand^m between Sec^s. 21 & 28, S 12 N. R 4 E.
 40.00 Set temp^y. q^r. Sec. post
 79.79 Intersected the N. & S. line 33 lks. N. of post
 1 $\frac{1}{2}$ mile level good 2^d. rate - last $\frac{1}{2}$ mile
 inclining to wet timber R. ash &c. undg.
 Spice Hazel &c.

S12 N. R4 E. 2^d Mer. Indiana

West Corrected between Sec. 21 & 28, S12 N. R4 E.
 39.89 1/2 Set g^r. Sec. post at average dist. from which
 a Beech 30 in. dia^r. bears N58°W 11 lks. dist. of
 a Do 16 " " " N12 E 23 " "
 79.79 to Sec. Corner.

North Between Sec. 20 & 21, S12 N. R4 E.
 9.75 a Beech 20 in. dia^r.
 24.00 a dry branch 12 lks. wide Course N.E.
 44.00 Set the g^r. Sec. post, from which
 a Beech 14 in. dia^r. bears S20 E 17 lks. dist. of
 an Ash 14 " " " N32°W 28 " "
 45.00 a Beech 10 " "
 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 12 in. dia^r. bears - 83°W 26 lks. dist. of
 a Do 8 " " " N40°W 21 " "
 Land level 2^d. rate, timber Beech, Ash,
 undergth. Spice &c.

East On Prandome between Sec. 16 & 21, S12 N. R4 E.
 23.50 a Spruce 20 lks. wide Course S. E.
 40.00 Set temp^y. g^r. Sec. post
 79.52 Intersected the N. & S. line 30 lks. North of post
 Land level 2^d. rate timber Beech Ash Sugar &c.
 undergrowth Spice Hazle &c.

West Corrected between Sec. 16 & 21, S12 N. R4 E.
 39.76 Set g^r. Sec. post at average dist. from which
 a Beech 12 in. dia^r. bears N86°W 17 lks. dist. of
 an Ash 11 " " " N52 E 14 " "
 79.52 To Section Corner

North Between Sec. 16 & 17, S12 N. R4 E.
 37.25 a Dry branch 6 lks. wide Course East
 40.00 Set the g^r. Sec. post, from which
 a Beech 12 in. dia^r. bears S84°W 5 lks. dist. of

T12 N. R4 E. 2^d. Mer. Indiana

a Beech 10 in. dia. bears S 3 E 30 lks. dist.
 50 . 00 a Poplar 36 " "
 80 . 00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Buckeye 8 in. dia. bears S 3 W 37 lks. dist. &
 a Beech 9 " " " N 88 E 24 " "
 Sand timber &c. as on the last mile -

East On Random between Sec. 9 & 16, T12 N. R4 E.
 40 . 00 Set temp. y. of Sec. post
 48 . 00 a Stream 20 lks. wide Course South
 79 . 70 Intersected the N. & S. line 54 lks. N. of post
 Sand and timber as before -

West Corrected between Sec. 9 & 16, T12 N. R4 E.
 59 . 85 Set of Sec. post at average dist. from which
 a Beech 20 in. dia. bears N 70 W 14 lks. dist. &
 a Do 12 " " " S 83 E 7 " "
 79 . 70 to Section Corner

North Between Sec. 8 & 9, T12 N. R4 E.
 01 . 50 a Stream 25 lks. wide Course East
 40 . 00 Set the of Sec. post, from which
 a Beech 10 in. dia. bears S 44 W 24 lks. dist. &
 a Do 8 " " " N 1 E 9 " "
 75 . 50 a Do 12 " "
 80 . 00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 22 in. dia. bears S 34 E 23 lks. dist. &
 a Hickory 24 " " " N 42 W 17 " "
 Sand Rolling 2^d. rate timber Beech Sugar Ash
 &c. undergrowth Spice &c.

East On Random between Sec. 4 & 9, T12 N. R4 E.
 59 . 25 a Dry branch 10 wide Course South
 40 . 00 Set temp. y. of Sec. post
 63 . 50 a Stream 10 lks. wide Course S. W.
 80 . 05 Intersected the N. & S. line 40 lks. South of post

S12 N R4 E. 2^d. Mer. Indiana

Land and timber as before—

West Corrected between Secs. 4 & 9, S12 N. R4 E.
 40.00 Set of Sec. post, at average dist. from which
 a Beech 24 in. dia. bears N44 E 41 chs. dist. &
 a Beech 6 " " " S4 W 28 " "
 81.15 To Section Corner Aug. 30. 1820

North Between Secs. 4 & 5, S12 N. R4 E.
 15.90 a Beech 12 in. dia.
 40.00 Set the of Sec. post, from which
 a Sugar 10 in. dia. bears S17 E 19 chs. dist. &
 a Do 24 " " " N28 W 25 " "
 47.90 a Beech 15 " "
 67.96 Intersected the N. boundary 8.05 chs. West of post
 Set a post Cor. to Secs. 4 & 5. from which
 a Beech 20 in. dia. bears S66 E 22 chs. dist. &
 an Ash 24 " " " N89 W 42 " "
 Land level good 2^d rate timber Beech Ash
 Sugar undergrowth Spice &c.

North Between Secs. 31 & 32, S12 N. R4 E.
 19.10 a Beech 10 in. dia.
 40.00 Set the of Sec. post, from which
 a Beech 15 in. dia. bears S72 W — chs. dist. &
 a Do 11 " " " S67 E 24 " "
 65.70 a Poplar 30 " "
 80.00 Set a post Cor. To Secs. 29, 30, 31 & 32, from which
 a Beech 15 in. dia. bears N79 E 22. chs. dist. &
 a Do 12 " " " S44 W 12 " "
 Land timber &c. as on the last Mile

East On Prandon between Secs. 29 & 32, S12 N. R4 E.
 40.00 Set temp^y. of Sec. post,
 79.87 Intersected the N. & S. line 2.16 chs. S. of post
 Land and timber as before—

T12 N R4 E 2^d Mer. Indiana

West Corrected between Secs. 29 & 32. T12 N R4 E.
 39.93 Set q. Sec. post at average dist. from which
 a Br. Oak 48 in. dia. bears S25 E 9 lks. dist. &
 a Beech 10 " " " N49 W5 " "
 79.87 to Section Corner

West Between Secs. 30 & 31. T12 N R4 E.
 09.00 a Stream 10 lks. wide Course N. E.
 40.00 Set q. Sec. post. from which
 a Beech 15 in. dia. bears S86 W44 lks. dist. &
 a W. Oak 7 " " " N73 E25 " "
 42.46 a Beech 24 " "
 70.08 Intersected the West boundary 60 lks. N. of post
 Set a post Cor. to Secs. 30 & 31. from which
 a Beech 18 in. dia. bears S44 E20 lks. dist. &
 a Do 16 " " " N61 W6 " "
 Land and timber as before

North Between Secs. 29 & 30. T12 N R4 E.
 2.50 a Stream 10 lks. wide Course N. E.
 32.75 a Beech 12 in. dia.
 40.00 Set the q. Sec. post. from which
 a Beech 12 in. dia. bears N18 W10 lks. dist. &
 a Do 10 " " " S12 W8 " "
 57.10 a Do 12 " "
 67.60 a Dry branch 10 lks. wide Course N. E.
 76.55 a Spring draft Course S. E.
 80.00 Set a post Cor. to Secs. 19, 20, 29 & 30. from which
 a Beech 24 in. dia. bears S40 E11 lks. dist. &
 an Ash 24 " " " N27 E22 " "
 Land Poling 2^d rate good, timber Beech Ash
 Sugar undergrowth Spice &c.

East On Random between Secs. 20 & 29. T12 N R4 E.
 40.00 Set temp. q. Sec. post
 52.25 a dry branch 12 lks. wide Course N. E.

T12 N. R4 E. 2^d Mer. Indiana

79.98 Intersected the N. & S. line 200 k. S. of the post
Land & timber &c. same as on the last mile

West Corrected between Sec. 20 & 29, T12 N. R4 E.
39.99 Set q. Sec. post at average dist. from which
a Beech 20 in. dia. bears N 30 W 27 ch. dist. 4
a Do 15 " " " S 20 E 25 " "
79.98 To Section Corner

West Between Sec. 19 & 30, T12 N. R4 E.
15.50 a Spring Draught Course S. E.
24.75 a Beech 30 in dia.
40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bears S 75 E 21 ch. dist. 4
a Do 12 " " " N 15 W 12 " "
46.80 a Hickory 30 " "
69.23 Intersected the West boundary 1.90 k. N. of post
Set a post Cor. to Sec. 19 & 30, from which
a Sugar 18 in. dia. bears S 87 E 21 ch. dist. 4
and Elm 10 " " " N 82 W 31 " "
Land & timber as before. August 31. 1838.

North Between Sec. 19 & 20, T12 N. R4 E.
34.40 a Dry branch 5 ch. wide Course S. E.
40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bears N 61 W 16 ch. dist. 4
a Do 15 " " " S 55 E 17 " "
44.30 a Do 18 " "
80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 24 in. dia. bears S 14 E 25. ch. dist. 4
a Do 14 " " " N 24 W 21 " "
Land & timber as before

East On Random between Sec. 17 & 20, T12 N. R4 E.
40.00 Set temp. q. Sec. post.
79.40 Intersected the N. & S. line 1.40 k. S. of post

T12 N R4 E. S. Mer. Indiana

Land and timber as before

West Corrected between Sec. 17 & 20, T12 N R4 E.
 39.70 Set q. Sec. post at average dist. from which
 a Beech 6 in. dia. bears S 77 E 12 ch. dist. &
 a Do 5 " " " West 8 " "
 79.40 to Section Corner

West Between Sec. 18 & 19, T12 N R4 E.
 17.12 a Beech 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a W. Ash 50 in. dia. bears N 10 W 10 ch. dist. &
 a Beech 12 " " " N 45 E 11 " "
 51.25 a Branch 8 ch. wide Course N. E.
 69.10 Intersected the West boundary 200 ch. N. of post
 Set a post Cor. to Sec. 18 & 19, from which
 a Beech 12 in. dia. bears S 30 W 5 ch. dist. &
 a Do 10 " " " N 77 E 41 " "
 Land level good 2^d rate timber Beech Ash
 Sugar &c. undergrowth Spice &c.

North Between Sec. 17 & 18, T12 N R4 E.
 17.10 an Elm 12 in. dia.
 40.00 Set the q. Sec. post from which
 a Beech 18 in. dia. bears N 53 W 47 ch. dist. &
 a Do 10 " " " East 12 " "
 51.00 a Stream 10 ch. wide Course N. E.
 65.60 an Elm 20 in. dia.
 80.00 Set a post Cor. To Sec. 7, 8, 17 & 18, from which
 an Ash 36 in. dia. bears S 50 W 25 ch. dist. &
 a Beech 24 " " " N 43 E 27 " "
 Land timber &c. as before

East On Random between Sec. 8 & 17, T12 N R4 E.
 50.62 a Stream 12 ch. wide Course N. E.
 40.00 Set temp. q. Sec. post

T12 N. R4 E. 2nd Mer. Indiana

60.12 a stream 35 lks. wide Course S. E.
 65.70 a do 30 " " " N. E.
 79.68 Intersected the N. & S. line 1.97 lks. S. of post
 Land rolling good 2^d rate timber as before

West Corrected between Secs. 4, 17, T12 N. R4 E.
 39.84 Set q. Sec. post at average dist. from which
 an Ash 24 in. dia. bears S 64 W 16 lks. dist. &
 a Beech 6 " " " S 41 E 13 " "
 79.68 To Section Corner

West Between Secs. 7 & 18, T12 N. R4 E.
 20.50 a Beech 12 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 14 in. dia. bears N 71 E 12 lks. dist. &
 a do 10 " " " N 66 W 6 " "
 41.75 a Gum 15 " "
 45.00 a branch 6 lks. wide Course S. E.
 68.75 Intersected the West boundary 3.52 N. of post
 Set a post Cor. to Secs. 7 & 18, from which
 a Beech 12 in. dia. bears N 56 E 36 lks. dist. &
 a sugar 18 " " " S 62 W 25 " "
 Land & timber as before

North Between Secs. 7 & 8, T12 N. R4 E.
 3.75 an Ash 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 14 in. dia. bears N 24 E 21 lks. dist. &
 an Ash 10 " " " S 2 E 30 " "
 49.10 a Beech 24 " "
 80.00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which
 a Beech 12 in. dia. bears S 22 E 34 lks. dist. &
 a brownwood 7 " " " N 74 W 38 " "
 Land and timber as before

East On Pradom between Secs. 5 & 8, T12 N. R4 E.

S 12 N R 4 E T. Mer. Indiana

39. 00 Stream 25 lks. wide Course S. E.
 40. 00 Set temp. y. of Sec. post
 79. 50 Intersected the N. & S. line 1.89 lks. S. of post
 Land level 2^d rate timber Beech Ash undr. ^g
 Spice Hazle &c.

West Corrected between Secs. 5 & 8, S 12 N R 4 E.
 39. 75 Set of Sec. post at average dist. from which
 a Beech 6 in. dia. bears S 54 E 16 lks. dist. $\frac{1}{4}$
 a Beech 6 " " " N 13 W 14 " "
 79. 50 To Section Corner Sept. 1st 1820

West Between Secs. 6 & 7, S 12 N R 4 E.
 29. 60 a Beech 12 in. dia.
 40. 00 Set the of Sec. post, from which
 a Br. Oak 24 in. dia. bears S 58 W 12 lks. dist. $\frac{1}{4}$
 a Beech 15 " " " N 88 E 44 " "
 51. 50 a Beech 14 " "
 68. 76 Intersected the West boundary 4.12 lks. N. of post
 Set a post Cor. to Sec. 6. 7, from which
 an Ash 10 in. dia. bears S 45 E 6 lks. dist. $\frac{1}{4}$
 a Beech 6 " " " S 45 W 13 " "
 Land level 2^d rate timber as before -

North Between Secs. 5 & 6, S 12 N R 4 E.
 04. 90 a Beech 15 in. dia.
 40. 00 Set the of Sec. post, from which
 a Beech 15 in. dia. bears S 40 W 30 lks. dist. $\frac{1}{4}$
 a Do 6 " " " N 5 E 32 " "
 50. 50 a Beech 30 " "
 56. 50 a Spring draft Course East
 69. 58 Intersected the North boundary 8.12 lks. N. of post
 Set a post Corner to Sec. 5 & 6, from which
 a Beech 20 in. dia. bears S 41 W 58 lks. dist. $\frac{1}{4}$
 a Do 6 " " " S 76 E 1 " "
 Land Rating 2^d rate timber Beech Ash Sugar

Twp. N. 12 E. 2^d Mer. Indiana

4c. undergrowth large Spice Hazle &c.
Sept. 2^d 1820.

chain of Arsenen sworn agreeably to
Instructions. Thomas Hendricks, U.S.

Comp

I Certify that the foregoing transcript of field notes of
Township N. 12 North, Range N. 4 East 2^d Mer. Indiana,
has been Comp.^d with the original notes in this office
and found to be Correct.

Surveyor General's Office
Cincinnati, Aug. 16. 1841. B

C. S. Rains
Sur. Genl.